

Zertifikat *Certificate*

Zertifikatsnummer Certificate No.:

PV 60179929 0001

Berichtsnummer Report No.:

IN240VAK 001

Genehmigungsinhaber License Holder:

Vikram Solar Limited
The Chambers, 8th Floor
1865, Rajdanga Main Road
Kolkata 700107
India

Fertigungsstätte Manufacturing Site:

2 Fertigungsstätten auf Folgeseiten
Listing of 2 factories on following pages

Prüfzeichen Test Mark:

Geprüft nach Tested according to:

IEC 61215-1:2021
IEC 61215-1-1:2021
IEC 61215-2:2021
IEC 61730-1:2023
IEC 61730-2:2023
EN IEC 61215-1:2021
EN IEC 61215-1-1:2021
EN IEC 61215-2:2021
EN IEC 61730-1:2018
EN IEC 61730-2:2018

Geräteidentifikation
Product Identification

Produkt: PV Module
Product:

Modell: Modelle sind auf nächste(r) Seite(n) gelistet
Type: *Type designation(s) are listed on the next page(s)*

Technische Daten: Max. System voltage: 1500 V DC
Technical Data:

Gültig bis: 2029-12-15
Date of expiry:

Gültig ab: 2024-12-16
Valid from:

Ausstellungsdatum: 2024-12-16
Date of issue:

Zertifizierungsstelle:
Certification body:



Dipl.-Ing. A. Cox

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde.
Das Produkt entspricht den o.g. Anforderungen, die Herstellung wird überwacht.
This certificate is based on our Testing and Certification Regulation. The product fulfills above mentioned requirements, the production is subject to surveillance.

TÜV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

<http://www.tuv.com/safety> E-mail: markcheck@tuv.com

Fax: +49 221 806-3935

www.tuv.com

 **TÜVRheinland®**
Precisely Right.

Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*

PV 60179929 0001

Berichtsnummer *Report No.:*

IN240VAK 001

Produkt *Product:* PV Module

Modell *Type:*

Bezeichnung *Designation:*

Type with monocrystalline bifacial half-cut (M10) cells:

PARADEA VSMDH.78.AAA.05

(AAA = 585 - 605 in steps of 1, 156 cells)

PARADEA VSMDH.72.AAA.05

(AAA = 535 - 565 in steps of 1, 144 cells)

PARADEA VSMDH.60.AAA.05

(AAA = 420 - 440 in steps of 1, 120 cells)

PARADEA VSMDH.54.AAA.05

(AAA = 400 - 405 in steps of 1, 108 cells)

Type with monocrystalline bifacial half-cut (G12) cells:

PARADEA VSMDH.66.AAA.05

(AAA = 650 - 660 in steps of 1, 132 cells)

Type with Topcon bifacial half-cut (M10) cells:

HYPER SOL VSMDH.72.AAA.05

(AAA = 565 - 610 in steps of 1, 144 cells)

HYPER SOL VSMDH.60.AAA.05

(AAA = 450 - 460 in steps of 1, 120 cells)

HYPER SOL VSMDH.54.AAA.05

(AAA = 400 - 445 in steps of 1, 108 cells)

Remarks:

Class II acc. to IEC 61140

Max. positive Design Load (downward): 3600 Pa

Max. negative Design Load (upward): 1600 Pa

with safety factor 1.5

Conditions:

The product test is voluntarily according to technical regulations. Any change of the design, materials, components or processing may require the repetition of some of the qualification tests in order to retain type approval.



Zertifikat *Certificate*

Zertifikatsnummer *Certificate No.:*
PV 60179929 0001

Berichtsnummer *Report No.:*
IN240VAK 001

Produkt *Product:*
PV Module

Fertigungsstätten *Factories:*

- 1 Vikram Solar Ltd. (Unit II)
Falta, District: South 24-Parganas
SEC-II, Falta, Special Economic Zone
P. S.: Ramnagar, P. O.: Falta S.O
West Bengal 743504
India
- 2 VIKRAM SOLAR LIMITED
B1000A, B1100C, Indospace Industrial Park
Panruti Pvt Ltd, SURVEY No-2A
SRIPERUMBUDUR Taluk
Panaiyur Village, Kanchipuram 603302
India

