CERTIFICATE

Issued to:
Applicant:
Vikram Solar Limited
The Chambers,8th Floor,1865, Rajdanga Main
Road, Kolkata
700107 West Bengal, India

Licensee:
Vikram Solar Limited
The Chambers,8th Floor,1865, Rajdanga Main
Road, Kolkata
700107 West Bengal, India

Product : Crystalline Silicon PV Modules

Trade name(s) : Vikram Solar

Type(s)/model(s) : HYPERSOL VSMDH.54.AAA.05, HYPERSOL VSMDH.66.AAA.05, HYPERSOL VSMDH.72.AAA.05 and PARADEA VSMDH.72.AAA.05

The product and any acceptable variation thereof as specified in the Annex to this certificate and the documents referred to therein.

DEKRA hereby declares that the above-mentioned product has been certified based on:

- an evaluation according to the standard(s) IEC 62716:2013 and EN 62716:2013
- a periodic surveillance
- a DEKRA certification agreement with the number 6068505

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:

Category : Photovoltaic

Keyword : Ammonia Resistance/// Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 27 December 2024 and expires at the latest on 23 December 2029

Certificate number: 31-151624

DEKRA Certification B.V.

B.T.M. Holtus Managing Director Cliff Lin

Certification Manager

© Integral publication of this certificate is allowed





ANNEX TO DEKRA Type Approved Seal CERTIFICATE 31-151624

page 1 of 3

SPECIFICATION OF THE CERTIFIED PRODUCT

Product data

Design

Product : Crystalline Silicon PV Modules

Trade name(s) : Vikram Solar

Type(s)/model(s) : HYPERSOL VSMDH.54.AAA.05, HYPERSOL VSMDH.66.AAA.05.

HYPERSOL VSMDH.72.AAA.05 and PARADEA VSMDH.72.AAA.05

: PV module with mono c-Si cells

Maximum System Voltage : 1500V

Product data - type HYPERSOL VSMDH.54.AAA.05

Description : AAA= 400–445, in step of 5, 108 cells

Product data - type HYPERSOL VSMDH.66.AAA.05

Description : AAA= 540–555, in step of 5, 132 cells

AAA= 600–630, in step of 5, 132 cells (G12R)

Product data – type HYPERSOL VSMDH.72.AAA.05

Description : AAA= 570–610, in step of 5, 144 cells

Product data - type PARADEA VSMDH.72.AAA.05

Description : AAA= 535-560, in step of 5, 144 cells

TESTS

Test requirements

IEC 62716:2013 EN 62716:2013

Test result

The test results are documented in DEKRA test file 620547400.

Additional information

The list of components is laid down in test report 6205474A.50.

Conclusion

The examination has confirmed that all requirements were met.

Factory locations

Vikram Solar Limited

B1000A,B 1100C, Indospace Industrial Park, Panruti Pvt Ltd, Survey No-2A, SRIPERUMBUDUR Taluk,

Panaiyur Village

603302 Kanchipuram, India



ANNEX TO DEKRA Type Approved Seal CERTIFICATE 31-151624

page 2 of 3

Vikram Solar Limited (Unit-II) SEC-II, Falta, Special Economic Zone, Falta, South 24-Parganas, Ramnagar, P.O Falta S.O 743504 West Bengal, India



ANNEX TO DEKRA Type Approved Seal CERTIFICATE 31-151624

page 3 of 3

Trade name(s): Vikram Solar stands for vikramsolar



Unique Identifier

The DEKRA Seal has been updated with a modern look. This certificate exclusively features the new seal, which must be used for all new certifications going forward. Please ensure this version is used consistently for all future certifications to maintain a clearer and more contemporary representation.

